

THE ART & CREATIVE MATERIALS INSTITUTE, INC.

1280 Main Street, 2nd Floor, P.O. Box 479, Hanson, MA 02341 USA

Tel. (781) 293-4100 Fax (781) 294-0808

Web: www.acminet.org

Deborah M. Fanning, CAE
Executive Vice President



Authorization for Use of the AP or CL (formerly HL) Seal

Mr. Dominic Finocchio
Smooth-On Inc.
2000 St. John Street
Easton, PA 18042

April 1, 2004

According to the latest revision of the Manual of Procedure of The Art & Creative Materials Institute, Inc., the Institute has received the following:

1. Your request for authorization for the use of the AP or CL Seal on your product(s) listed below, a signed Institute copy of the Toxicologist's Approval form, and an affidavit that fees for the Toxicologist and testing lab (if any) have been or will be paid;
2. For the AP Seal with Performance Certification (formerly CP), a lab testing report that the product(s) meet or exceed the requirements of the appropriate Product Standard; and
3. For the CL Seal, a notarized statement that the labeling requirements specified by the Toxicologist are being met.

Upon finding compliance in full with the Bureau procedures, the Institute hereby authorizes you to use the following Seal:

<u>PRODUCT</u>	<u>CERTIFICATION</u>	<u>BRAND NAME</u>	<u>COLOR(S)</u>
Sculpture Materials	CL	Body Double Fast Set	N/A
Sculpture Materials	CL	Body Double Standard Set	N/A

This authorization will be for this calendar year and will be renewed automatically on an annual basis provided you obtain permission for the continued use of the Seals in accordance with the procedures of this program. The Seals must be used on all authorized products unless an exemption is granted in writing by the Institute. Products bearing the AP Seal with Performance Certification must display with the Seal which quality standard is being met. The ACMI Seals certify that this product has undergone a toxicological evaluation by a medical expert and is certified by the Institute to be labeled in accordance with the Labeling of Hazardous Art Materials Act (LHAMA) and the chronic hazard labeling standard ASTM D-4236.

The use of the Seals on any other than the specifically-authorized products shall immediately result in the loss of the privilege to use the Seals on any and all items. The authority for the use of the Seals automatically terminates should any of the conditions present at the granting of the privilege change. This permission to use the Seals is neither assignable nor transferable. The CL and new versions of the AP Seals are becoming Registered Trade Marks, and the symbol TM must appear to the bottom right of these Seals, wherever they appear.

Sincerely,

Deborah M. Fanning, CAE
Executive Vice President

cc: Dr. W. Stopford, Duke OHS